



ETERNIA[®]
By HINDALCO⁺

IMAGINE
WINDOWS, NOT WALLS

SYSTEM ALUMINIUM WINDOWS CATALOGUE

WHEN CUSTOMERS COME FIRST,
CRAFTSMANSHIP AND QUALITY
MATERIALS NATURALLY FOLLOW.



TABLE OF CONTENTS

1. IMAGINE WINDOWS NOT WALLS

5

2. HOW WINDOWS SHAPE YOUR SPACES

7

3. LEGACY

9

4. WHAT MAKES ETERNIA DISTINCTIVE

11

5. ETERNIA CARE


18

6. THE PRODUCT RANGE

22



IMAGINE
WINDOWS, NOT WALLS



At Eternia, we believe that a window is more than just a view—it's a gateway to boundless possibilities. Our purpose is to inspire high-quality living by transforming spaces into places of comfort, beauty, and inspiration. Designed with expressive innovators in mind, our windows redefine the home experience, connecting seamlessly with the aspirations of homeowners who seek spaces that rejuvenate and inspire. Whether you're an entrepreneur, artist, or nature lover, Eternia's windows create an open, breathable

sanctuary that reflects your individuality and maximizes your living environment. Our sleek designs and patented materials, combined with certified performance, offer both function and elegance. With an array of colors and a commitment to hassle-free service, we ensure that every window seamlessly integrates with your lifestyle. At Eternia, we're not just crafting windows; we're helping you realize the dream of a home that feels open, unbounded, and truly yours—a space where walls no longer inhibit, and where windows empower.



HOW WINDOWS SHAPE YOUR SPACES

Windows do more than frame a view—they shape how your space feels. With Eternia, each window opens up light, style, and a seamless connection to the outdoors, turning your home into a refreshing, open sanctuary.



Ventilation and Light

Windows are essential in bringing natural light and fresh air into a space. Thoughtfully designed windows allow daylight to penetrate deeply into interiors, reducing the need for artificial lighting and creating a bright, airy atmosphere. They provide natural ventilation, enhancing comfort and air quality, making each space feel open and invigorated.



Aesthetics & Views

Windows are the canvas that bring the outside in. By framing scenic views and connecting us to our surroundings, they elevate the experience of every room. A well-placed window isn't just functional; it's a design element that enhances both interior and exterior aesthetics, adding character and style to a home.



Protection from the Elements

Eterna windows are designed to withstand extreme weather conditions, providing a secure barrier against strong winds and preventing water seepage, even during heavy rains. With high performance against wind, water, and air, these windows ensure your home stays protected and dry, offering peace of mind and resilience in the face of challenging weather.



Noise Insulation

Windows can create a serene indoor environment by reducing noise from the outside world. With acoustic insulation properties, specially designed windows block unwanted sounds, ensuring a quieter, more peaceful atmosphere within. Double-glazed windows are particularly effective in providing a buffer from external noise, adding to overall comfort.



Safety & Security

Windows are crafted with more than just beauty in mind—they're designed to keep your home safe. Reinforced frames, secure locking systems, and shatter-resistant options ensure peace of mind, protecting against potential break-ins while maintaining the elegance of each space.



Energy Efficiency

Energy-efficient windows optimize home comfort and reduce energy costs. Advanced glazing and well-designed frames limit heat transfer, helping to maintain an ideal temperature indoors. By lowering the need for heating and cooling, energy-efficient windows support both sustainability and cost savings, enhancing the well-being of residents.





ADITYA BIRLA GROUP

THE ADITYA BIRLA GROUP

A FORCE FOR GOOD

A legacy of over 150 years that has enriched lives by building highly dynamic yet responsible businesses and institutions that have inspired trust across the globe.

HINDALCO⁺⁺

WORLD'S LARGEST
ALUMINUM PRODUCER



INDIA'S LARGEST MANUFACTURER
OF WHITE CEMENT & PUTTY



#1 IN GREY CEMENT



MARKET LEADERS IN
DECORATIVE PAINTS CATEGORY

INR 3.6 LAKH CRORE

A GLOBAL CONGLOMERATE

36 Countries

Industries that **Hindalco fortifies:**



No 1

**Aluminium
Producer Globally**



52

**Manufacturing
facilities globally**



4

**Extrusion plants
in India**



12

**Global R&D
centers**



Fully

**Integrated from
mine to product**


HINDALCO++

Eternia is brought to you by Hindalco, the world's largest integrated aluminum producer. Hindalco's expertise spans from automotive sheets for brands like Mercedes and Range Rover to aerospace components for Boeing and Airbus, even extending to iconic infrastructure like the Atal Setu. This legacy of engineering excellence ensures that each Eternia window reflects the highest standards of quality and innovation. Choosing Eternia means investing in the same cutting-edge aluminum technology trusted by global leaders.



LUXURY CARS

Luxury automobile bodies for brands like BMW, Audi & Range Rover




SPACE & BEYOND

Vital components for aerospace missions like Chandrayan 2023



AEROPLANES

Aircraft bodies for leading brands like Boeing & Airbus



INFRASTRUCTURE

Precision crafted components for large projects like the Atal Setu

When Innovation meets Perfection.

At Eternia, we envision a world where windows replace walls, creating spaces environments into extraordinary ones by blending robust protection with seamless where every window opens up new possibilities for creativity and harmony.



STORM PROOF STRENGTH

Designed to withstand cyclonic winds



WIDER VIEWS

Larger panel sizes



RUGGED RELIABILITY

40% stronger than standard aluminium



ENHANCED SECURITY

Multi-point locking mechanisms



MADE FOR INDIAN CONDITIONS

Collapsible integrated pest mesh





Scan to
know more

is filled with light, openness, and connectivity. Our mission is to transform everyday
ss indoor-outdoor integration. Embrace a brighter, more connected world with Eternia



NO RATTLING

Sturdy quality accessories and woolpile



NOISE INSULATION

High quality gaskets & fin based woolpile



NO DRIPS OR LEAKS

Efficient water
drainage system



PEACE OF MIND

12 year brand warranty
on profiles
+
5 year warranty on
hardware



SMOOTH OPERATION

1L+ Cycle tested
rollers & hinges



HIGH QUALITY SEALING

Silcated fin-based wool pile
to block out water, dust & sound





Eternia windows at a residence in Lonavala





At the heart of Eternia’s product line is Duranium, a proprietary aluminium alloy created by Hindalco, a leading global aluminium specialist. This advanced material is 40% stronger than traditional aluminium alloys, offering exceptional strength and durability.

The world’s first aluminium alloy patented for Indian conditions



**High windload
resistance**



**Sleek & Minimal
Profile Design**



**Wider panel width for
larger openings**



**Superior
durability**



**Eternally
recyclable**



**Superior
Finish**

Duranium ensures that Eternia windows can endure even the harshest environmental conditions, from high wind loads and heavy rains to cyclonic storms. Beyond its impressive strength, Duranium enables us to design windows that are not only robust but also beautifully crafted — sleek, elegant, and enhancing the visual appeal of any home.



Duranium® v/s others

	Wood	uPVC	Aluminium (Not certified)	Duranium®
Truly panoramic design	✗	✗	✗	✓
Sleek profile thickness	✗	✗	✗	✓
Low maintenance	✗	✓	✓	✓
Wide single panel width	✗	✗	✗	✓
Withstands high cyclonic winds	✗	✗	✗	✓
UV & fading resistance	✗	✗	✓	✓
Termite & Rodent resistance	✗	✗	✓	✓
Resistance to colour fading	✗	✗	✓	✓
Recyclable	✗	✗	✓	✓



Tested Toughness Patented Technology

Introducing WiWA by Eternia – a patented performance certification system for windows, designed to measure and guarantee the highest standards of wind, water, and air performance. At Eternia, we understand that the durability and functionality of windows are just as important as their aesthetic appeal. With WiWA, all our windows undergo rigorous testing, ensuring they provide superior protection and certified performance against the elements.



Wind Resistance

protection against highspeed cyclonic winds up to 2.75kPa



Water Tightness

Prevents water ingress, even in extreme conditions up to 750Pa




Air Sealing

Keeps noise and dust out, up to 600Pa



Scan to know
WiWA® Score



ETERNIA CARE

Where Excellence Meets Assurance

Eternia offers a comprehensive suite of services designed to ensure operational excellence and exceptional customer experience.



BRAND WARRANTY
on window frames



BRAND WARRANTY
on hardware components



**7 Day Dedicated
call-center**

 9769940000



**Rigorous post-
installation checks**



**Dedicated project
management team**



On time delivery



Clear Perspectives:

Glass options

A comprehensive range of glass options to meet the highest standards of performance, aesthetics and functionality. Choose from a variety of options offering unique benefits such as thermal insulation, noise reduction and UV protection, to enhance comfort, safety and beauty of your projects.



Toughened

Heat-treated for extra strength and safety, ideal for high-impact resistance.




Frosted:

Translucent finish for privacy while allowing soft, diffused light.



Double glazed:

Two glass panes with an insulating air layer for improved thermal efficiency.



Tinted :

Reduces glare and heat, adding a subtle color tint for solar control.



Laminated:

Two glass layers bonded with a plastic film, offering enhanced safety and sound insulation.



Acoustic laminated:

Acoustic laminated glass features a sound-dampening layer that reduces noise infiltration, creating a quieter indoor space.



Double Glazed Laminated:

Combines the benefits of double glazing with laminated safety for maximum insulation and security



Switch Glass:

Smart glass that changes from clear to opaque at the flick of a switch for instant privacy.

Frame Your World in Style:


Discover Our Palette of Possibilities

Transform your space with our exclusive range of aluminum window frames, available in a spectrum of stunning colors and finishes. From classic wood grains to contemporary hues, our windows offer the perfect blend of style and durability. Each color option is designed to enhance your home's aesthetic while providing unmatched performance and stability. Whether you prefer a bold statement or a subtle touch, our window frames are crafted to reflect your unique taste. Choose the perfect shade and let your windows make a lasting impression.


TRENDING COLOURS




Pearl White



Moon Silver




Slate grey




Earth Grey




Graphite Grey




Glacier Grey




Night Black



Starlight Black




Dusk Gold



Teak Wood



Oak Wood



Walnut Wood

Colors shown may vary slightly. For accurate selection, please refer to the official Eternia shade card.



Eterna windows at a residence in Kolkata

THE PRODUCT RANGE



DURASLIM EDGE SERIES

The Duraslim Edge series represents the pinnacle of sophistication in window design. This premium collection features the slimmest and strongest frames, offering expansive, unobstructed views and exceptional durability. With cutting-edge options like Lift and Slide and Slide and Fold mechanisms, the Duraslim Edge Series delivers a truly bespoke window experience that redefines modern living.



Duraslim Edge Lift & Slide

ETL LS

Duraslim Edge Minimal

ETL SS

Duraslim Edge Slide & Fold

ETL SF

DURASLIM EDGE

LIFT & SLIDE



Lockable at any point
along the track for added safety



Heavy-duty rollers
ensure smooth sliding



Exceptional noise
insulation for a quieter space

PRODUCT SPECIFICATIONS



Sash Height
(max)

3500mm



Sash Width
(max)

2000mm



Glass Thickness

10-32mm



Sightline

20-29mm



Max Weight

400 Kg



Joining details

Frame corner joint:

45°connection with corner cleat

Shutter corner joint:

90°connection

Flush Details:

Flushed along bottom track

WiWA Score : 10

Wind : 9

Water: 10

Air : 10

Certified as per:

Wind: 2.75 kPa ASTM E330

Water: 600 Pa ASTM E331

Air: 600 Pa ASTM E283

POPULAR TYPOLOGIES



2 TRACK 2 SHUTTER



2 TRACK 3 SHUTTER



2 TRACK 4 SHUTTER



3 TRACK 3 SHUTTER



3 TRACK 6 SHUTTER

DURASLIM EDGE

MINIMAL



Seamless design,
flush on all 4 sides



Sleek 20mm
thickness interlock



Wider views &
minimal sightline

PRODUCT SPECIFICATIONS



Sash Height
(max)
4500mm



Sash Width
(max)
2500mm



Glass Thickness
32-38 mm



Sightline
20 mm



Max Weight
500 Kg



Joining details

Frame corner joint:
45°connection with corner cleat

Shutter corner joint:
90°connection

Flush Details:
Flushed on all 4 sides
Shutter flushed inside frame

WiWA Score : 9

Wind : 10
Water: 9
Air : 8


Certified as per:

Wind: 2.00 kPa ASTM E330
Water: 450 Pa ASTM E331
Air: 450 Pa ASTM E283


POPULAR TYPOLOGIES



2 Track 2 Shutter



2 Track 2 Shutter
(1 Shutter Fixed)



2 Track 3 Shutter
(1 Shutter Fixed)

DURASLIM EDGE

SLIDE & FOLD



Complete
opening



Seamless
bottom track design



Heavyduty hinges
for smooth operation

PRODUCT SPECIFICATIONS



Sash Height
(max)

3000mm



Sash Width
(max)

1000mm



Glass Thickness

5-32mm



Sightline

205mm



Max Weight

130 Kg



Joining details

Frame corner joint:
45°connection

Shutter corner joint:
45°connection


WiWA Score : 7

Wind : 6
Water: 8
Air : 6


Certified as per:

Wind: 0.8 kPa ASTM E330
Water: 300 Pa ASTM E331
Air: 300 Pa ASTM E283


POPULAR TYPOLOGIES




PATTERN 321



PATTERN 330




PATTERN 431



PATTERN 550



PATTERN 651



PATTERN 633




PATTERN 770



Eterna windows at a residence in Mangalore

DURASLIM SERIES

The Duraslim Series from Eternia Windows is crafted with Duranium. This collection offers the perfect blend of aesthetics and strength, featuring elegant profiles and robust durability. With its advanced construction, the Duraslim Series ensures not only a visually striking appearance but also reliable, long-lasting functionality for discerning homeowners.


A photograph of a modern building's exterior corner. The building features large, dark-framed windows and a light-colored stone or concrete facade. The windows reflect the sky and surrounding greenery. The text is overlaid on the upper right portion of the image.

Duraslim Slider
Duraslim Casement

ETP SD
ETP CS

Eternia windows at a residence in Aurangabad

DURASLIM SLIDER



Distinctive 20mm thick
AERO interlock design



Collapsible
integrated pest mesh



Smooth operation
with cycle tested rollers

PRODUCT SPECIFICATIONS



Sash Height
(max)

3500mm



Sash Width
(max)

1500mm



Glass Thickness

6-26mm



Sightline

20-29mm



Max Weight

200 Kg



Joining details

Frame corner joint:

45°connection with corner cleat

Shutter corner joint:

90°connection

Flush Details:

Flushed along bottom track

WiWA Score : 9

Wind : 9

Water: 8

Air : 9

Certified as per:

Wind: 2.5 Kpa EN 12210

Water: 300 Pa EN 12208

Air: 600 Pa EN 12207


POPULAR TYPOLOGIES



2T+2G SHUTTER SLIDING WINDOW



2T+4G SHUTTER SLIDING WINDOW




2T+2 SHUTTER SLIDING 1 SHUTTER FIXED WINDOW



3T+6G SHUTTER SLIDING WINDOW



3T+3G SHUTTER SLIDING WINDOW




2T+2G SHUTTER SLIDING + TOP
FIXED WINDOW





2T+2G SHUTTER SLIDING + BOTTOM
FIXED WINDOW




2T+2G SHUTTER SLIDING + TOP
FIXED WITH CENTER MULLION WINDOW




2T+2G SHUTTER SLIDING + BOTTOM
FIXED WITH CENTER MULLION WINDOW



3T+3G SHUTTER 1 MESH SHUTTER SLIDING WINDOW




3T+ 4G SHUTTER 2 MESH SHUTTER SLIDING WINDOW





Eternia windows at a residence in Kochi

DURASLIM CASEMENT



Superior
sound insulation



Tilt & turn and arched
customizations available



Heavy duty hinges
for smooth opening

PRODUCT SPECIFICATIONS - DOORS

				
Sash Height (max)	Sash Width (max)	Glass Thickness	Sightline	Max Weight
3000mm	1200mm	5-32mm	Door Sash 88mm (upto 3000 mm) Frame 66mm	180 Kg



Joining details

Frame corner joint:
45°connection with corner cleat

Shutter corner joint:
45° & 90°connection


WiWA Score : 9

Wind : 8
Water: 10
Air : 10


Certified as per:

Wind: 2.5 Kpa ASTM E330
Water: 600 Pa ASTM E331
Air: 600 Pa ASTM E283


POPULAR TYPOLOGIES




SINGLE SHUTTER INSIDE
OPENING SIDE HUNG DOOR



DOUBLE SHUTTER INSIDE
OPENING SIDE HUNG DOOR



SINGLE SHUTTER OUTSIDE
OPENING SIDE HUNG DOOR



DOUBLE SHUTTER OUTSIDE
OPENING SIDE HUNG DOOR

PRODUCT SPECIFICATIONS - WINDOWS



Sash Height
(max)

2000 mm



Sash Width
(max)

1200mm



Glass Thickness

5-32 mm



Sightline

Window Sash

100mm

Frame

66mm



Max Weight

90 Kg



Joining details

Frame corner joint:

45°connection with corner cleat

Shutter corner joint:

45°connection

WiWA Score : 10

Wind : 9

Water: 10

Air : 10

Certified as per:

Wind: 2.5 Kpa ASTM E330

Water: 600 Pa ASTM E331


Air: 600 Pa ASTM E283

POPULAR TYPOLOGIES


OUTSIDE OPENING




SINGLE SHUTTER OUTSIDE
OPENING SIDE HUNG WINDOW




DOUBLE SHUTTER OUTSIDE
OPENING SIDE HUNG WINDOW




SINGLE SHUTTER OUTSIDE OPENING
SIDE HUNG + SIDE FIX WINDOW



DOUBLE SHUTTER OUTSIDE OPENING
SIDE HUNG + SIDE FIX WINDOW




DOUBLE SHUTTER OUTSIDE OPENING
SIDE HUNG + TOP FIX WINDOW




SINGLE SHUTTER OUTSIDE OPENING
SIDE HUNG + TOP FIX WINDOW


INSIDE OPENING




SINGLE SHUTTER INSIDE
OPENING SIDE HUNG WINDOW




DOUBLE SHUTTER INSIDE
OPENING SIDE HUNG WINDOW




SINGLE SHUTTER INSIDE OPENING
SIDE HUNG + SIDE FIX WINDOW



DOUBLE SHUTTER INSIDE OPENING
SIDE HUNG + SIDE FIX WINDOW



DOUBLE SHUTTER INSIDE OPENING
SIDE HUNG + TOP FIX WINDOW



SINGLE SHUTTER INSIDE OPENING
SIDE HUNG + TOP FIX WINDOW

ESSENTIALS SERIES

The Essentials Series is designed for those who value both performance and durability without compromising on quality. The range embodies a philosophy of delivering high value and enduring strength, making it a practical choice for those seeking dependable and stylish window solutions.

Essentials proSLIDER

ETE SD PRO

Essentials plusSLIDER


ETE SD PLUS

Essentials SLIDER

ETE SD

Essentials CASEMENT

ETE CS



— ESSENTIALS

PRO SLIDER



PRODUCT SPECIFICATIONS

				
Sash Height (max)	Sash Width (max)	Glass Thickness	Sightline	Max Weight
2700mm	1200mm	5-20mm	25mm	120 Kg



Joining details

Frame (with flush)
45° Connection

Shutter
45° & 90° connection

WiWA Score : 8

Wind : 8
Water: 7
Air : 9

Certified as per:

Wind: 2.75 kPa as per ASTM E330
Water: 250 Pa as per ASTM E331
Air: 600 Pa as per ASTM E283


POPULAR TYPOLOGIES



2 TRACK 2 SHUTTER



3 TRACK 2 SHUTTER
(WITH MESH)



2 TRACK 3 SHUTTER




2 TRACK 4 SHUTTER



3 TRACK 3 SHUTTER



3 TRACK 4 SHUTTER
(WITH MESH)



4 TRACK 3 SHUTTER
(WITH MESH)



3 TRACK 2 SHUTTER+
1 MESH SHUTTER



3 TRACK 6 SHUTTER



4 TRACK 6 SHUTTER
WITH MESH



Eternia windows at a holiday home in Karjat

ESSENTIALS PLUS SLIDER



PRODUCT SPECIFICATIONS

				
Sash Height (max)	Sash Width (max)	Glass Thickness	Sightline	Max Weight
2400mm	1000mm	5-8mm	30mm	60kg



Joining details

Frame (with flush)
45°connection with corner cleat

Shutter
90°connection

WiWA Score :7

Wind : 6
Water: 7
Air : 7

Certified as per:

Wind: 1.75 Kpa IS18473
Water: 250 Pa IS18459
Air: 450 Pa IS18472

POPULAR TYPOLOGIES



2 Track, 2 Shutter




2 Track, 2 Shutter
With Mesh



2 Track, 3 Shutter



2 Track, 2 Shutter
With Bottom Fixed



3 Track, 3 Shutter
With Mesh



3 Track, 3 Shutter
With Bottom Fixed



3 Track, 3 Shutter
With Mesh



Eterna windows at a residence in Silguri

— ESSENTIALS SLIDER



PRODUCT SPECIFICATIONS

				
Sash Height (max)	Sash Width (max)	Glass Thickness	Sightline	Max Weight
2400mm	1000mm	5-6 mm	32mm	80 Kg



Joining details

Frame (with flush)
90°connection with corner cleat

Shutter
90°connection


WiWA Score : 7

Wind : 7
Water: 6
Air : 9


Certified as per:

Wind: 1.6 Kpa EN 12210
Water: 200 Pa EN 12208
Air: 600 Pa EN 12207

POPULAR TYPOLOGIES





2T+2G shutter sliding window





2T+4G shutter sliding window



2T+2G shutter sliding + top
Fixed window




3T+3G shutter 1 mesh shutter sliding window



3T+4G shutter 2 mesh shutter sliding window



2T+2G shutter sliding + bottom
Fixed window




2T+2 shutter sliding 1 shutter fixed window



3T+3G shutter sliding window



2T+2G shutter sliding + top
Fixed with center mullion window



3T+6G shutter sliding window



2T+2G shutter sliding + bottom
Fixed with center mullion window





Eterna windows at a residence in Pune

— ESSENTIALS

CASE | MENT



PRODUCT SPECIFICATIONS



**Sash Height
(max)**

1100mm



**Sash Width
(max)**

700mm



**Glass
Thickness**

5-6 mm



Sightline

Sash
56.1mm
Frame
39.6mm



**Max
Weight**

30 Kg



Joining details

Frame corner joint:

45° connection with corner cleat

Shutter corner joint:

45° connection

WiWA Score : 8

Wind : 6

Water: 9

Air : 10


Certified as per:

Wind: 1.2 Kpa ASTM E330


Water: 600 Pa ASTM E331

Air: 600 Pa ASTM E283


POPULAR TYPOLOGIES




SINGLE SHUTTER OUTSIDE
OPENING SIDE HUNG WINDOW




TOP HUNG WINDOW



TOP HUNG + TOP FIX WINDOW



SINGLE SHUTTER OUTSIDE OPENING
SIDE HUNG + TOP FIX WINDOW



SINGLE SHUTTER OUTSIDE OPENING
SIDE HUNG + SIDE FIX WINDOW

THE ANCILLARY RANGE

The ancillary range enhances your living spaces with innovative solutions such as frameless railings, pleated pest mesh, and integrated glass railings. This collection seamlessly integrates with your existing windows, offering both functional and aesthetic benefits.

Eternia Essentials Frameless Railing



The Eternia Frameless Railing offers a sleek, modern design that maximizes unobstructed views and enhances the aesthetic of any space. With its minimalist profile, this railing solution blends seamlessly into your surroundings, providing safety and style without the visual interruption of traditional frames.

PRODUCT SPECIFICATIONS



Railing height: 1000mm




Glass Thickness: 15.52 to 17.52mm

Integrated Pleated Mesh



Add an extra layer of safety without compromising on the beauty. A compact and cost effective solution to keep insects out. The integrated design adds to the aesthetics of the space, while ensuring effortless opening and closing.

Integrated Glass Railing




A contemporary window solution that seamlessly integrates glass panels into the framework, offering panoramic views while enhancing safety and security. It is ideal for compact spaces.



Eternia windows at a residence in Lonavala



Architectural Marvels: A Showcase of Large-Scale Projects by Eternia



Rustomjee Yazrina
South Mumbai
Ultra Luxury Project



Runwal Nirvana
South Mumbai
54 Storey Luxury Tower



Rustomjee Reserve
Mumbai
22 Storey High Rise Tower



Piramal Revanta
Mumbai
38 Storey High Rise Tower



L&T Seawoods
Mumbai
40-acre development



Birla Vanya
Mumbai
23 Storeys Towers



Hallmark Trezor
Hyderabad
30 Storey Luxury Tower



Appaswamy Altezza
Chennai
Three 39 Storey Towers



Tata 88
Kolkata
43 Storeys High Rise Tower

Our priority is simple:
Your needs come first,
every time.



Eternia

A venture by Hindalco Industries Limited
B 03, Paragon Condominium, Building B,
Ground Floor, Pandurang Budhkar Road,
Worli, Mumbai - 400013.

-  +91 97699 40000
-  www.eterniawindows.com
-  eternia.care@adityabirla.com

*Eternia TM, Duranium ® and WiWA© are proprietary to Hindalco Industries Limited. Hindalco Industries Limited has a patent filed right for Duranium alloy. Nothing contained here shall be construed as conferring any license or right under a Hindalco trademark, copyright or patent. Visit www.eterniawindows.com for more details. Final product may differ from the images displayed.